

CMS Wheel Selection for Electric Vehicles and Plug-in Hybrids (PHEV)

Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro

Plug-in-Hybrid (PHEV)

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
Always	U5	MAS861	55/60	C27	CBG, GG, SR	7.0x17"	40	C27 707 40 60S	215/65, 225/60	xxx	xxx	xxx	xxx	ABE	FA and RA
Always	U5	MAS861	55/60	C27	CBG, GG, SR	7.0x18"	43	C27 708 43 60S	215/60, 225/55, 235/55, 245/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Always	U5	MAS861	55/60	C28	CBG, DB, SR	7.5x19"	37	C28 758 37 91S	215/60, 225/55, 235/55, 245/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Always	U5	MAS861	55/60	C32 Aero	DB	7.5x19"	32	C32 759 32 82S	225/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Always	U5	MAS861	55/60	C29 Aero	DB, DRB	8.0x19"	43	C29 809 43 82S	225/50, 235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	8.0x19"	45	C23 809 45 91S	255/50	ABE	only with combination; max. axle-weight 1.600 KG
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	8.0x19"	45	C27 809 45 60S	255/50	ECE	only with combination (in preparation)
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	8.0x19"	45	C29 809 45 60S	255/50	ECE	only with combination
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only with combination
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50	8.5x20"	40	C25 8520 40 82S	255/45	ABE	only with combination
Audi	Q4 e-tron incl. Sportback	FZ	70, 77	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50	8.5x20"	40	C25 8520 40 82S	255/45	ABE	only with combination (in preparation)
Audi	Q7 PHEV	4L, 4L1	250	C29 Aero	DB, DRB	8.0x19"	34	C29 809 34 61S	255/55, 265/50, 275/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Audi	Q7 PHEV	4L, 4L1	250	C25	DB, DRB	9.0x20"	33	C25 9020 33 61S	255/50, 265/45, 275/45, 285/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Audi	Q8 e-tron incl. Sportback	GE	158	C27	CBG, SR	8.0x19"	34	C27 809 34 61S	255/55R19	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
Audi	Q8 e-tron incl. Sportback	GE	158	C29 Aero	DB, DRB	8.0x19"	34	C29 809 34 61S	255/55R19	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
Audi	Q8 e-tron incl. Sportback	GE	158	C29 Aero	DB, DRB	8.5x19"	36	C29 859 36 61S	255/55R19	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
Audi	Q8 e-tron incl. Sportback	GE	158	C23	DB, DRB, SR	8.0x20"	33	C23 8020 33 61S	255/50, 265/50	xxx	xxx	xxx	xxx	ABE	FA and RA; only M+S (in preparation)
Audi	Q8 e-tron incl. Sportback	GE	158	C25	DB, DRB	8.5x20"	30	C25 8520 30 61S	255/50, 275/45	xxx	xxx	xxx	xxx	ABE	FA and RA (in preparation)
Audi	Q8 e-tron incl. Sportback	GE	158	C25	DB, DRB	9.0x20"	33	C25 9020 33 61S	255/50, 275/45	xxx	xxx	xxx	xxx	ABE	FA and RA (in preparation)
Audi	Q8 PHEV	4L	250	C25	DB, DRB	9.0x20"	20	C25 9020 20 61S	265/50, 275/50, 285/45, 285/50	xxx	xxx	xxx	xxx	ABE	FA and RA
BMW	i4 eDrive40	G4C	105	C27	CBG, GG, SR	7.5x17"	27	C27 757 27 98S	225/55	xxx	xxx	xxx	xxx	ABE	FA and RA; max. axleweight 1.550 KG
BMW	i4 eDrive 40 / M50	G4C	105/125	C29 Aero	DB, DRB	8.5x18"	36	C29 858 36 98S	245/45	xxx	xxx	xxx	xxx	ABE	FA and RA; only M+S
BMW	iX	BMW-I-N	102	C32 Aero	DB	8.5x20"	28	C32 8520 28 98S	235/60	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
BMW	iX	BMW-I-N	102	C25	DB, DRB	9.0x20"	35	C29 858 36 98S	255/55	xxx	xxx	xxx	xxx	ABE	FA and RA; only wenn 20"-Serie; not for all-wheel steering
BMW	iX1	U1X	94	C27	CBG, GG, SR	7.0x17"	41	C27 707 41 98S	205/65	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
BMW	iX1	U1X	94	C27	CBG, GG, SR	7.5x18"	50	C27 758 50 98S	225/55	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
BMW	iX1	U1X	94	C29 Aero	DB, DRB	8.0x19"	46	C29 809 46 98S	245/45	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
BMW	iX3	G3XE	80	C27	CBG, SR	8.0x19"	34	C27 809 34 98S	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
BMW	iX3	G3XE	80	C29 Aero	DB	8.0x19"	34	C29 809 34 98S	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA
BMW	iX3	G3XE	80	C32 Aero	DB, DBBlue	8.0x19"	34	C32 809 34 98S	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA
BMW	iX3	G3XE	80	C25	DB, DRB	9.0x20"	35	C25 9020 35 98S	245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
BMW	X5 PHEV	G5X	210	C25	DB, DRB	9.0x20"	35	C25 9020 35 98S	265/45, 275/40, 275/45, 285/45	xxx	xxx	xxx	xxx	ABE	FA and RA; max. axle-weight 2.000 KG
BYD	Atto 3	SC2E	65	C25	DB, DRB	7.0x17"	40	C25 707 40 10	215/60, 225/55, 225/60, 235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
BYD	Atto 3	SC2E	65	C23	DRB, SR, SR	7.5x17"	38	C23 757 38 10	215/60, 225/55, 225/60	xxx	xxx	xxx	xxx	ABE	FA and RA
BYD	Atto 3	SC2E	65	C25	DB, DRB	7.5x18"	37	C25 758 37 10	215/50, 215/55, 225/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Citroen	CS X	N	132	C27	CBG, GG, SR	7.0x17"	42	C27 707 42 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA
Citroen	e-C4	B	57	C23	DRB, SR	6.5x16"	32	C23 656 32 35	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA
Citroen	e-C4	B	57	C25	DB, DRB	7.0x17"	32	C25 707 38 35	205/60, 205/65	xxx	xxx	xxx	xxx	ABE	FA and RA
Citroen	e-Jumpy	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Citroen	e-Space Tourer	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Cupra	Born	K1	70	C22	CBG, GG, SR	7.5x18"	51	C22 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA; not allowed with Brembo caliper on axle 1
Cupra	Born	K1	70	C27	CBG, GG, SR	7.5x18"	51	C27 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA; not allowed with Brembo caliper on axle 1
Cupra	Born	K1	70	C28	DB, SR	7.5x18"	51	C28 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA; not allowed with Brembo caliper on axle 1
Cupra	Born	K1	70	C32 Aero	DB, DBBlue	7.5x19"	50	C32 759 50 60S	225/45, 235/45	xxx	xxx	xxx	xxx	ABE	FA and RA; not allowed with Brembo caliper on axle 1
Cupra	Born	K1	70	C32 Aero	DB, DBBlue	7.5x19"	50	C32 759 50 60S	215/50	xxx	xxx	xxx	xxx	ECE	FA and RA; not allowed with Brembo caliper on axle 1
Dacia	Spring	DBG	19	C22	CBG, GG, SR	6.0x15"	35	C22 605 35 02	165/60	xxx	xxx	xxx	xxx	ABE	FA and RA
DS	DS4 E-Tense	F	110/132	C27	CBG, GG, SR	7.0x17"	42	C27 707 42 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA

CMS Wheel Selection for Incl. Electric Vehicles and Plug-in Hybrids (PHEV)

Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro

Plug-in-Hybrid (PHEV)

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
DS	DS4 E-Tense	F	110/132	C28	CBG, DB, SR	7.5x18"	48	C28 758 48 13	215/55, 215/60, 225/55, 235/50, 235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
DS	DS4 E-Tense	F	110/132	C28	CBG, DB, SR	7.5x19"	48	C28 759 48 13	215/50, 225/50, 235/45, 235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Fiat	500 Elektro incl. Cabrio	FA1	43	C23	DRB, SR	6.0x15"	40	C23 605 40 23	185/65	xxx	xxx	xxx	xxx	ECE	FA and RA
Ford	Mustang Mach-E incl. AWD	LSK	100, 124	C27	CBG, SR	7.0x18"	43	C27 708 47 56	225/60	xxx	xxx	xxx	xxx	ECE	FA and RA; 124 kW only M+S
Ford	Mustang Mach-E incl. AWD	LSK	100, 124	C29	DB, DRB, GG	8.0x18"	48	C29 808 48 56	225/60	xxx	xxx	xxx	xxx	ABE	FA and RA; 124 kW only M+S
Ford	Mustang Mach-E incl. AWD	LSK	100, 124	C32 Aero	DB	7.5x19"	47	C32 759 47 56	225/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ford	Mustang Mach-E incl. AWD	LSK	100, 124	C29 Aero	DB, DRB	8.0x19"	42	C29 809 42 56	225/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ford	Mustang Mach-E incl. AWD	LSK	100, 124	C29	DB, DRB, GG	8.5x20"	45	C29 8520 45 56	235/45, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Honda	Honda e	ZC	60	C27	CBG, GG, SR	7.0x17"	43	C27 707 43 10	205/45	7.0x17"	43	C27 707 43 10	225/45	ABE	only with combination
Hyundai	Tucson PHEV	NX4e	132	C27	CBG, GG, SR	7.5x19"	49,5	C27 759 49 10	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Hyundai	Tucson PHEV	NX4e	132	C27	CBG, GG, SR	7.5x19"	51	C27 759 51 10	235/50	xxx	xxx	xxx	xxx	ECE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C27	CBG, GG, SR	7.5x19"	45	C27 759 49 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C27	CBG, SR	7.5x19"	49,5	C27 759 49 10	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C28	CBG, DB, SR	7.5x19"	50	C28 759 50 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C32 Aero	DB	7.5x19"	45	C32 759 49 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Ioniq	Ioniq 5	NE	42-76	C28	CBG, DB, SR	8.0x20"	48	C28 8020 48 10	235/45, 235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Ioniq	Ioniq 6	CE	37-81	C32 Aero	DB	7.5x18"	45	C32 758 45 10	225/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Ioniq	Ioniq 6	CE	37-81	C32 Aero	DB	7.5x18"	51	C32 758 51 10	225/55	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
Ioniq	Ioniq 6	CE	37-81	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	225/45, 225/50, 235/45, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C27	CBG, SR	7.5x19"	45	C27 759 45 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C27	CBG, GG, SR	7.5x19"	49,5	C27 759 49 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C27	CBG, GG, SR	7.5x19"	51	C27 759 51 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C28	CBG, DB, SR	7.5x19"	45	C28 759 50 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C32 Aero	DB	7.5x19"	45	C32 759 45 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	EV6	CV	42-81	C20	DMB, GG	8.0x19"	50	C20 89 50 10	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Niro EV	SG2	50	C27	CBG, GG, SR	7.0x17"	50	C27 707 50 10	215/55, 225/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Niro EV	SG2	50	C28	CBG, DB, SR	7.0x17"	50	C28 707 50 10	215/55, 225/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Niro EV	SG2	45	C27	CBG, SR	7.0x18"	45	C27 708 45 10	215/45, 215/50, 225/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Niro EV	SG2	50	C32 Aero	DB	7.5x19"	45	C32 759 45 10	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Niro EV	SG2	50	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Sorento PHEV	MQ4	132	C27	CBG, GG, SR	7.5x19"	49,5	C27 759 49 10	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Kia	Sorento PHEV	MQ4	132	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Kia	Sportage PHEV	NQ5E	132	C27	CBG, SR	7.5x19"	45	C27 759 45 10	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Sportage PHEV	NQ5E	132	C27	CBG, GG, SR	7.5x19"	49,5	C27 759 49 10	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Sportage PHEV	NQ5E	132	C27	CBG, GG, SR	7.5x19"	51	C27 759 51 10	235/50	xxx	xxx	xxx	xxx	ECE	FA and RA
Kia	Sportage PHEV	NQ5E	132	C32 Aero	DB	7.5x19"	45	C32 759 45 10	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Kia	Sportage PHEV	NQ5E	132	C32 Aero	DB, DBBlue	7.5x19"	49,5	C32 759 49 10	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Lynk & Co	Lynk & Co 01 PHEV	GX6	132	C23	DB, DRB, SR	8.0x20"	43	C23 8020 43 56	235/45, 245/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Lynk & Co	Lynk & Co 01 PHEV	GX6	132	C29	DB, DRB, GG	8.5x20"	50	C29 8520 50 56	235/45, 245/40, 255/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Mazda	CX-60 PHEV	KH01	141	C22	CBG, GG, SR	7.5x18"	45	C22 758 45 10	235/60	xxx	xxx	xxx	xxx	ECE	FA and RA
Mazda	CX-60 PHEV	KH01	141	C27	CBG, GG, SR	7.5x18"	45	C27 758 45 10	235/60	xxx	xxx	xxx	xxx	ECE	FA and RA
Mazda	CX-60 PHEV	KH01	141	C28	CBG, DB, SR	8.0x20"	38	C28 8020 38 10	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Mazda	MX-30	DR	81	C27	CBG, GG, SR	7.0x18"	45	C27 708 45 10	215/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Mazda	MX-30	DR	81	C27	CBG, GG, SR	7.5x19"	45	C27 759 45 10	225/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Mazda	MX-30	DR	81	C23	DB, DRB, SR	8.0x19"	40	C23 809 40 10	225/45, 235/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	C-Klasse Limousine PHEV incl. 4-matic	R2CW	150, 185	C23	DB, DRB	8.0x18"	43	C23 808 43 825	225/45	9.0x18"	52,5	C23 908 52 825	255/40	ABE	only with combination
MB	C-Klasse T-Modell PHEV	R2CS	150	C23	DB, DRB	8.0x18"	43	C23 808 43 825	225/45	9.0x18"	52,5	C23 908 52 825	255/40	ABE	only with combination
MB	E-Klasse Limousine PHEV incl. 4-matic	212	143, 155	C23	DB, DRB	8.0x18"	43	C23 808 43 825	245/45	9.0x18"	52,5	C23 908 52 825	275/40	ABE	only with combination
MB	E-Klasse T-Modell PHEV incl. 4-matic	R1ES	143, 155	C23	DB, DRB	8.0x18"	43	C23 808 43 825	245/45	9.0x18"	52,5	C23 908 52 825	275/40	ABE	only with combination
MB	e-Citan Tourer	MFK	51	C27	CBG, SR	6.0x16"	38	C27 606 38 65	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQA	F2B	80-139	C27	CBG, GG, SR	7.5x18"	49	C27 758 49 625	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQA	F2B	80-139	C27	CBG, GG, SR	7.5x18"	53,5	C27 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQA	F2B	80-139	C28	DB, SR	7.5x18"	53,5	C28 758 53 825	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQA	F2B	80-139	C29 Aero	DB	7.5x18"	53,5	C29 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA

CMS Wheel Selection for Electric Vehicles and Plug-in Hybrids (PHEV)

Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro

Plug-in-Hybrid (PHEV)

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
MB	EQA	F2B	80-139	C32 Aero	DB	7.5x18"	53,5	C32 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQA	F2B	80-139	C32 Aero	DB	7.5x19"	49	C32 759 49 625	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQA	F2B	80-139	C29 Aero	DB, DRB	8.0x19"	52	C29 809 52 625	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQA	F2B	80-139	C32 Aero	DB	8.5x20"	50	C32 8520 50 825	235/45	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQB	F2B	111, 139	C27	CBG, GG, SR	7.5x18"	49	C27 758 49 625	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQB	F2B	111, 139	C27	CBG, GG, SR	7.5x18"	53,5	C27 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQB	F2B	111, 139	C28	DB, SR	7.5x18"	53,5	C28 758 53 825	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA; max. axle-weight 1.480 KG
MB	EQB	F2B	111, 139	C29 Aero	DB	7.5x18"	53,5	C29 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQB	F2B	111, 139	C32 Aero	DB	7.5x18"	53,5	C32 758 53 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQB	F2B	111, 139	C32 Aero	DB	7.5x19"	49	C32 759 49 625	235/50, 245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQB	F2B	111, 139	C29 Aero	DB, DRB	8.0x19"	52	C29 809 52 625	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQB	F2B	111, 139	C32 Aero	DB	8.5x20"	50	C32 8520 50 825	235/45	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQC 400	204X	145	C32 Aero	DB	7.5x19"	32	C32 759 32 825	235/55	8.0x19"	34	C32 809 34 825	255/50	ECE	only with combination
MB	EQC 400	204X	145	C29 Aero	DB, DRB	8.0x19"	34	C29 809 34 615	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQC 400	204X	145	C32 Aero	DB, DBBlue	8.0x19"	34	C32 809 34 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQE	E2EQEW	109, 135	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 915	255/45	xxx	xxx	xxx	xxx	ABE	FA and RA; max. axle-weight 1.600 KG
MB	EQE	E2EQEW	109, 135	C29 Aero	DB, DRB	8.0x19"	43	C29 809 43 825	255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MB	EQE	E2EQEW	109, 135	C29 Aero	DB, DRB	8.5x19"	47	C29 859 47 825	255/45	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQE	E2EQEW	109, 135	C25	DB, DRB	9.0x20"	45	C25 9020 45 825	255/40	xxx	xxx	xxx	xxx	ABE	FA and RA; max. axle-weight 1.650 KG
MB	EQS	E2EQSW	109, 135	C27	CBG, SR	8.0x19"	30,5	C27 809 30 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQS	E2EQSW	109, 135	C29 Aero	DB, DRB	8.0x19"	30,5	C29 809 30 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQS	E2EQSW	109, 135	C32 Aero	DB	8.0x19"	34	C32 809 34 825	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
MB	EQS	E2EQSW	109, 135	C32 Aero	DB	8.5x20"	33	C32 8520 33 825	255/45	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQT	MFK	51	C27	CBG, SR	6.0x16"	38	C27 606 38 65	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
MB	EQV 300	639/2	70	C29 Aero	DB, DRB	7.5x18"	52	C29 759 52 825	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA; max axleweight 1.800 KG (in preperation)
MB	EQV 300	639/2	70	C32 Aero	DB	7.5x18"	52	C32 759 52 625	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA; max axleweight 1.800 KG (in preperation)
MB	eVito / eVito Tourer	639/2, 639/4	70	C29 Aero	DB, DRB	7.5x18"	52	C29 759 52 825	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA; only for 245er-Serienbereifung; max axleweight 1.800 KG (in preperation)
MB	eVito / eVito Tourer	639/2, 639/4	70	C32 Aero	DB	7.5x18"	52	C32 759 52 625	245/50	xxx	xxx	xxx	xxx	ECE	FA and RA; only for 245er-Serienbereifung; max axleweight 1.800 KG (in preperation)
MB	GLC PHEV	R2CGLC	145, 150, 185	C23	DB, DRB	8.0x18"	32,5	C23 808 32 825	235/60	9.0x18"	30	C23 908 30 825	255/55	ABE	only with combination (in preperation)
MB	GLE PHEV incl. Coupé	H1GLE	143, 155	C25	DB, DRB	9.0x20"	57	C25 9020 57 825	275/50, 285/45	9.0x20"	45	C25 9020 45 825	275/50, 285/45	ABE	only with combination; only AMG-Line; max. axle-weight 2.000 KG
MG	MG 4 Electric	SEH3	54, 68	C27	CBG, GG, SR	6.5x16"	41	C27 656 41 605	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA
MG	MG 4 Electric	SEH3	54, 68	C27	CBG, SR	7.0x17"	49	C27 707 49 605	205/55, 215/50, 225/45, 225/50	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	MG 4 Electric	SEH3	54, 68	C27	CBG, SR	7.0x18"	45	C27 708 45 605	225/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	MG 4 Electric	SEH3	54, 68	C28	CBG, DB, SR	7.5x18"	51	C28 758 51 605	225/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	MG 5 Electric	EP22-L	73, 75	C27	CBG, GG, SR	6.5x16"	41	C27 656 41 605	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA
MG	MG 5 Electric	EP22-L	73, 75	C27	CBG, GG, SR	7.0x17"	45	C27 707 45 605	215/50	xxx	xxx	xxx	xxx	ECE	FA and RA
MG	MG 5 Electric	EP22-L	73, 75	C28	CBG, DB, SR	7.0x17"	40	C28 707 40 605	215/50, 225/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	MG 5 Electric	EP22-L	73, 75	C27	CBG, SR	7.0x18"	45	C27 708 45 605	215/45	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	EHS PHEV	AS23P-L, AS23P-R	119	C27	CBG, GG, SR	7.0x17"	40	C27 707 40 605	215/60	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	Marvel R Electric	EP21	65-105	C25	DB, DRB	7.5x18"	45	C25 758 45 165	215/55	7.5x18"	45	C25 758 45 165	235/50	ABE	only with combination
MG	Marvel R Electric	EP21	65-105	C27	CBG, SR	7.5x18"	50	C27 758 50 785	215/55	7.5x18"	45	C27 758 50 785	235/50	ECE	only with combination (in preperation)
MG	Marvel R Electric	EP21	65-105	C29 Aero	DB, DRB	7.5x18"	50	C29 758 50 785	215/55	7.5x18"	45	C29 758 50 785	235/50	ECE	only with combination (in preperation)
MG	Marvel R Electric	EP21	65-105	C32 Aero	DB	7.5x18"	50	C32 758 50 785	215/55	7.5x18"	45	C32 758 50 785	235/50	ECE	only with combination (in preperation)
MG	ZS-EV	MZS1, ZS1, ZS1	68-75	C22	CBG, GG, SR	6.5x16"	41	C22 656 41 605	205/60	xxx	xxx	xxx	xxx	ABE	FA and RA
MG	ZS-EV	MZS1, ZS1, ZS1	68-75	C27	CBG, GG, SR	6.5x16"	41	C27 656 41 605	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA
MG	ZS-EV	MZS1, ZS1, ZS1	68-75	C30	CBG, DB, SR	6.5x16"	42	C30 656 42 605	205/60	xxx	xxx	xxx	xxx	ABE	FA and RA
Mini	Cooper SE	FML2E	75	C23	DRB, SR	6.5x16"	54	C23 656 54 985	195/55	xxx	xxx	xxx	xxx	ABE	FA and RA; not for brake disc diameter 335 mm on axle 1; not for 17"-Sportsbrake
Mini	Cooper SE	FML2E	75	C27	CBG, GG, SR	6.5x16"	54	C27 656 54 985	195/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Mini	Cooper SE	FML2E	75	C27	CBG, GG, SR	7.0x17"	54	C27 707 54 985	205/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Nissan	Ariya	FE0E	45, 90	C28	CBG, DB, SR	7.5x19"	40	C28 759 40 10	235/55, 245/50, 255/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Nissan	Ariya	FE0E	45, 90	C32 Aero	DB	7.5x19"	40	C32 759 40 65	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)

CMS Wheel Selection for Electric Vehicles and Plug-in Hybrids (PHEV)

Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro

Plug-in-Hybrid (PHEV)

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
Nissan	Ariya	FE0E	45, 90	C32 Aero	DB	7.5x19"	45	C32 759 45 10	235/55, 245/50, 255/50	xxx	xxx	xxx	xxx	ABE	FA and RA
Nissan	Ariya	FE0E	45, 90	C29	DB, GG	8.5x20"	45	C29 8520 45 10	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Mitsubishi	Eclipse Cross PHEV	GK0	72	C27	CBG, SR	7.0x18"	28	C27 708 38 10	225/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Mitsubishi	Eclipse Cross PHEV	GK0	72	C28	DB, SR	7.5x18	37	C28 758 37 10	225/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Astra PHEV incl. Sports Tourer	F	110, 132	C22	CBG, GG, SR	7.5x17"	44	C22 757 44 13	225/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Opel	Astra PHEV incl. Sports Tourer	F	110, 132	C27	CBG, GG, SR	7.5x17"	44	C27 767 44 13	225/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Opel	Astra PHEV incl. Sports Tourer	F	110, 132	C28	DB, SR	7.5x18"	48	C28 758 48 13	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Astra PHEV incl. Sports Tourer	F	110, 132	C23	DRB, SR	8.0x18"	48	C23 808 48 13	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Corsa-e	U	57	C23	DRB, SR	6.5x16"	32	C23 656 32 35	195/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Opel	Corsa-e	U	57	C25	DB, DRB	7.0x17"	32	C25 707 32 35	205/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Mokka-e	U	57	C23	DRB, SR	6.5x16"	32	C23 656 32 35	215/65	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Mokka-e	U	57	C25	DB, DRB	7.0x17"	32	C25 707 32 35	215/60	xxx	xxx	xxx	xxx	ABE	FA and RA
Opel	Vivaro-e	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Opel	Zafira Life-e	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Peugeot	308 PHEV incl. SW	F	110, 132	C22	CBG, GG, SR	7.5x17"	44	C22 757 44 13	225/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Peugeot	308 PHEV incl. SW	F	110, 132	C27	CBG, GG, SR	7.5x17"	44	C27 767 44 13	225/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Peugeot	308 PHEV incl. SW	F	110, 132	C28	DB, SR	7.5x18"	48	C28 758 48 13	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	308 PHEV incl. SW	F	110, 132	C23	DRB, SR	8.0x18"	48	C23 808 48 13	225/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	e-2008	U	57	C23	DRB, SR	6.5x16"	32	C23 656 32 35	215/60, 215/65	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	e-208	U	57	C23	DRB, SR	6.5x16"	32	C23 656 32 35	195/55	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	e-208	U	57	C25	DB, DRB	7.0x17"	32	C25 707 32 35	205/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	e-Expert	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Peugeot	e-Rifter	E	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ABE	FA and RA
Peugeot	e-Traveller	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Polestar	Polestar 2	V	80, 160	C25	DB, DRB	8.5x19"	45	C25 859 45 56	245/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Polestar	Polestar 2	V	80, 160	C29	DB, DRB, GG	8.5x20"	45	C29 8520 45 56	245/40	xxx	xxx	xxx	xxx	ABE	FA and RA
Renault	Kangoo E-Tech Electric	MFK	51	C27	CBG, SR	6.0x16"	38	C27 606 38 65	205/60	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
Renault	Megane E-Tech Electric	RCB	55	C27	CBG, SR	7.0x18"	38	C27 708 38 10	195/60	xxx	xxx	xxx	xxx	ABE	FA and RA
Renault	Twingo Electric	AH	31	C22	CBG, GG, SR	6.0x15"	35	C22 605 35 02	165/65	6.0x15"	35	C22 605 35 02	185/60R15	ABE	only with combination
Skoda	Enyaq 50 / 60	NY	70	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA; only für brake disc diameter 358 mm on axle 1
Skoda	Enyaq 50 / 60	NY	70	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA (in preperation)
Skoda	Enyaq 50 / 60	NY	70	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 358 mm on axle 1
Skoda	Enyaq 50 / 60	NY	70	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
Skoda	Enyaq 50 / 60	NY	70	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
Skoda	Enyaq 50 / 60	NY	70	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA (in preperation)
Skoda	Enyaq 80 / 80X	NY	70, 77	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	8.0x19"	45	C23 809 45 91S	255/50	ABE	only with combination; only für brake disc diameter 358 mm on axle 1; max. axle-weight 1.600 KG
Skoda	Enyaq 80 / 80X	NY	70, 77	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	8.0x19"	45	C27 809 45 60S	255/50	ECE	only with combination (in preperation)
Skoda	Enyaq 80 / 80X	NY	70, 77	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	8.0x19"	45	C29 809 45 60S	255/50	ECE	only with combination; only für brake disc diameter 358 mm on axle 1
Skoda	Enyaq 80 / 80X	NY	70, 77	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only with combination
Skoda	Enyaq 80 / 80X	NY	70, 77	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50	8.5x20"	43	C25 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA
Skoda	Enyaq 80 / 80X	NY	70, 77	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50	8.5x20"	43	C32 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA (in preperation)
Skoda	Enyaq RS Coupé	NY	77	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	8.0x19"	45	C23 809 45 91S	255/50	ABE	only M+S; only with combination; only für brake disc diameter 358 mm on axle 1; max. axle-weight 1.600 KG
Skoda	Enyaq RS Coupé	NY	77	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	8.0x19"	45	C27 809 45 60S	255/50	ECE	only with combination (in preperation)
Skoda	Enyaq RS Coupé	NY	77	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	8.0x19"	45	C29 809 45 60S	255/50	ECE	only M+S; only with combination; only für brake disc diameter 358 mm on axle 1
Skoda	Enyaq RS Coupé	NY	77	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only M+S; only with combination

CMS Wheel Selection for Electric Vehicles and Plug-in Hybrids (PHEV)

Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro

Plug-in-Hybrid (PHEV)

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
Skoda	Enyaq RS Coupé	NY	70, 77	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50	8.5x20"	43	C25 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA
Skoda	Enyaq RS Coupé	NY	77	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50	8.5x20"	43	C32 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA (in preparation)
Subaru	Solterra	EAM1S	73	C32 Aero	DB	7.5x18"	40	C32 758 40 88S	235/60	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
Tesla	Model 3 ohne Performance-Bremse	003	88-155	C29 Aero	DB, DRB	8.5x18"	40	C29 858 40 64S	235/45	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 320 mm on axle 1
Tesla	Model 3 mit Performance-Bremse	003	153, 155	C29 Aero	DB, DRB	8.5x18"	40	C29 858 40 64S	235/45	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 355 mm on axle 1
Tesla	Model 3 ohne Performance-Bremse	003	88-155	C29 Aero	DB, DRB	8.5x19"	35	C29 859 35 64S	235/40	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 320 mm on axle 1
Tesla	Model 3 mit Performance-Bremse	003	153, 155	C29 Aero	DB, DRB	8.5x19"	35	C29 859 35 64S	235/40	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 355 mm on axle 1
Tesla	Model 3 ohne Performance-Bremse	003	88-155	C29	DB, GG	8.5x20"	35	C29 8520 35 64S	235/35	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 320 mm on axle 1
Tesla	Model 3 mit Performance-Bremse	003	153, 155	C29	DB, GG	8.5x20"	35	C29 8520 35 64S	235/35	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 355 mm on axle 1
Tesla	Model Y	003	88-153	C29 Aero	DB, DRB	9.5x19"	45	C29 959 45 64S	255/45	xxx	xxx	xxx	xxx	ECE	FA and RA
Toyota	Proace Verso Electric	V	57	C22	CBG, GG, SR	7.0x16"	46	C22 706 46 13	215/65	xxx	xxx	xxx	xxx	ECE	FA and RA; max. axle-weight 1.650 KG
Toyota	bZ4X	EAM1	73	C32 Aero	DB	7.5x18"	40	C32 758 40 88S	235/60	xxx	xxx	xxx	xxx	ECE	FA and RA (in preparation)
Volvo	C40 Recharge Pure Electric	X	80, 160	C25	DB, DRB	8.5x19"	45	C25 859 45 56	235/50	8.5x19"	45	C25 859 45 56	255/45R19	ABE	only with combination
Volvo	C40 Recharge Pure Electric	X	160	C29	DB, DRB, GG	8.5x20"	45	C29 8520 45 56	235/45	8.5x20"	45	C29 8520 45 56	255/40	ABE	only with combination
Volvo	C40 Recharge Pure Electric	X	160	C29	DB, DRB, GG	8.5x20"	50	C29 8520 50 56	235/45	8.5x20"	45	C29 8520 45 56	255/40	ABE	only with combination
Volvo	XC40 Recharge Pure Electric	X	80, 160	C29	DB, DRB, GG	8.5x20"	45	C29 8520 45 56	235/45	8.5x20"	45	C29 8520 45 56	255/40	ABE	only with combination
Volvo	XC40 Recharge Pure Electric	X	80, 160	C29	DB, DRB, GG	8.5x20"	50	C29 8520 50 56	235/45	8.5x20"	45	C29 8520 45 56	255/40	ABE	only with combination
VW	Bus T7 PHEV	ST	110	C31	DB	6.5x17"	60	C31 657 60 71S	215/60, 225/55, 225/60, 235/55	xxx	xxx	xxx	xxx	ABE	FA and RA; only für brake disc diameter 332 mm on axle 1
VW	Bus T7 PHEV	ST	110	C29 Aero	DB, DRB	7.5x18"	60	C29 758 60 71S	235/50	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 332 mm on axle 1 (in preparation)
VW	Bus T7 PHEV	ST	110	C32 Aero	DB	7.5x18"	60	C32 758 60 71S	235/50	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 332 mm on axle 1 (in preparation)
VW	Bus T7 PHEV	ST	110	C29 Aero	DB, DRB	8.0x19"	58	C29 809 58 71S	245/45	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 332 mm on axle 1
VW	Bus T7 PHEV	ST	110	C32 Aero	DB, DRB	8.0x19"	58	C32 809 58 71S	245/45	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 332 mm on axle 1
VW	ID.3	E1	70	C22	CBG, GG, SR	7.5x18"	51	C22 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	ID.3	E1	70	C27	CBG, GG, SR	7.5x18"	51	C27 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	ID.3	E1	70	C28	DB, SR	7.5x18"	51	C28 758 51 60S	215/55	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	ID.3	E1	70	C28	DB, SR	7.5x19"	50	C28 759 50 60S	215/50	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	ID.3	E1	70	C32 Aero	DB	7.5x19"	50	C32 759 50 60S	215/50	xxx	xxx	xxx	xxx	ECE	FA and RA
VW	ID.4 Pure	E2	70	C23	DB, DRB, SR	8.0x19"	45	C29 809 45 91S	235/55	xxx	xxx	xxx	xxx	ABE	FA and RA; only für brake disc diameter 358 mm on axle 1
VW	ID.4 Pure	E2	70	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	only with combination (in preparation)
VW	ID.4 Pure	E2	70	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA; only für brake disc diameter 358 mm on axle 1
VW	ID.4 Pure	E2	70	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	xxx	xxx	xxx	xxx	ECE	FA and RA
VW	ID.4 Pure	E2	70	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	ID.4 Pure	E2	70	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50, 245/45, 255/45	xxx	xxx	xxx	xxx	ABE	FA and RA (in preparation)
VW	ID.4 Pro / GTX	E2	70, 77	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	8.0x19"	45	C23 809 45 91S	255/50	ABE	only with combination; only für brake disc diameter 358 mm on axle 1
VW	ID.4 Pro / GTX	E2	70, 77	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	8.0x19"	45	C27 809 45 60S	255/50	ECE	only with combination (in preparation)
VW	ID.4 Pro / GTX	E2	70, 77	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	8.0x19"	45	C29 809 45 60S	255/50	ECE	only with combination; only für brake disc diameter 358 mm on axle 1
VW	ID.4 Pro / GTX	E2	70, 77	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only with combination
VW	ID.4 Pro / GTX	E2	70, 77	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50	8.5x20"	43	C25 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA
VW	ID.4 Pro / GTX	E2	70, 77	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50	8.5x20"	43	C32 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA (in preparation)

CMS Wheel Selection for Electric Vehicles and Plug-in Hybrids (PHEV)
Status: 14.04.2023



* = Continuous power output of electric vehicle / power output of combustion engine PHEV (this information can be found in the Tüv certificate).

Electro	Plug-in-Hybrid (PHEV)
---------	-----------------------

Brand	Modell	official Typ	kW*	Design	Colors	Dimension	Offset	Wheelnumber	Tires	Dimension RA	ET	Wheelnumber	Tires RA	ABE/ECE	Remarks
VW	ID.5 Pro / GTX	E2	70, 77	C23	DB, DRB, SR	8.0x19"	45	C23 809 45 91S	235/55	8.0x19"	45	C32 809 45 91S	255/50	ABE	only with combination; only für brake disc diameter 358 mm on axle 1
VW	ID.5 Pro / GTX	E2	70, 77	C27	CBG, SR	8.0x19"	45	C27 809 45 60S	235/55	8.0x19"	45	C27 809 45 60S	255/50	ECE	only with combination (in preperation)
VW	ID.5 Pro / GTX	E2	70, 77	C29 Aero	DB, DRB	8.0x19"	45	C29 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only with combination; only für brake disc diameter 358 mm on axle 1
VW	ID.5 Pro / GTX	E2	70, 77	C32 Aero	DB, DBBlue	8.0x19"	45	C32 809 45 60S	235/55	8.0x19"	45	C32 809 45 60S	255/50	ECE	only with combination
VW	ID.5 Pro / GTX	E2	70, 77	C25	DB, DRB	8.5x20"	43	C25 8520 43 91S	235/50	8.5x20"	43	C25 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA
VW	ID.5 Pro / GTX	E2	70, 77	C32 Aero	DB	8.5x20"	43	C32 8520 43 91S	235/50	8.5x20"	43	C32 8520 43 91S	255/45	ABE	only with combination; 255/45 auch FA and RA (in preperation)
VW	ID.BUZZ Cargo / Pro	EB, EBN	70	C29 Aero	DB, RB	8.5x18"	40	C29 858 40 94S	235/60	8.5x18"	56	C29 858 56 94S	255/55	ABE	only with combination (in preperation)
VW	ID.BUZZ Cargo / Pro	EB, EBN	70	C23	DRB, SR	8.0x19"	45	C23 809 45 94S	235/55	9.0x19"	58	C23 909 58 94S	255/50	ABE	only with combination (in preperation)
VW	ID.BUZZ Cargo / Pro	EB, EBN	70	C25	DRB, DB	8.5x19"	40	C25 859 40 94S	235/55	8.5x19"	52	C25 859 52 94S	255/50	ABE	only with combination (in preperation)
VW	ID.BUZZ Cargo / Pro	EB, EBN	70	C29 Aero	DB, DRB	8.5x19"	40	C29 859 40 94S	235/55	8.5x19"	52	C29 859 52 94S	255/50	ABE	only with combination (in preperation)
VW	ID.BUZZ Cargo / Pro	EB, EBN	70	C32 Aero	DB	8.5x20"	45	C32 8520 45 94S	235/50	8.5x20"	45	C32 8520 45 94S	265/45	ABE	only with combination (in preperation)
VW	Touareg PHEV	CR	250, 280	C29 Aero	DB, DRB	8.0x19"	34	C29 809 34 61S	255/55, 265/50, 275/50	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	Touareg PHEV	CR	250, 280	C29	DB, DRB, GG	8.5x20"	30	C29 8520 30 61S	255/50, 265/45, 275/45	xxx	xxx	xxx	xxx	ABE	FA and RA
VW	Touareg PHEV	CR	250, 280	C25	DB, DRB	9.0x20"	33	C25 9020 33 61S	255/50, 265/45, 275/45, 285/45	xxx	xxx	xxx	xxx	ABE	FA and RA

CMS Automotive Trading GmbH · SAP Allee 2 · 68789 St. Leon-Rot · Tel. +49 6227 35838-0 · info@cms-wheels.de · www.cms-wheels.com
Geschäftsführer · Andreas Göbel, Mehmet Yildiz · HRB 351992 Mannheim · V.A.T. ID-Nr. DE 187072048
Bankverbindung: Commerzbank Wiesloch · BIC: COBADEFF670 · IBAN: DE 456 704 003 1066 302 300 0
Gläubiger-ID-Nr.: DE44ZZZ00000014406